



VODA CHEMICALS PVT.LTD.

Plot No.171, Phase-5, Sec-53 Kundli, HSIIDC, Haryana,
PH – 8373919492, 9013759824, 011-46501460

E-Mail: - vodachemicals@yahoo.com, www.vodachemicals.in

QUALITY CONTROL DEPARTMENT

Certificate of Analysis

(Finished)

(The Drugs & Cosmetics Act 1940 and rules there under)

Name of Product	TOILET BOWL CLEANER	A.R. No.	VC/QC/FP-25-2269
Batch No.	VTC10125	Sample Quantity	2 X 100 ml
Date of Mfg.	10 / 2025	Date of Exp.	09 / 2027
Manufactured by	VODA CHEMICALS PVT. LTD.	Supplied to	NS

RESULT OF ANALYSIS

S.No.	Tests	Specifications	Results
1.	Description	Dark Blue color Viscous liquid	Dark Blue color Viscous liquid
2.	Identification	Complies	Complies
3	pH	1.0 to 3.0	1.02
4	Iron	Less than 20 ppm	NA
5	Heavy metals	Less than 2 ppm	NA
6	Viscosity	3 min. to 6 min.	5 min. 13 sec.
7	Appearance of solution	Viscous Liquid	Confirms

Remark: In the opinion of the undersigned, the sample submitted complies with the prescribed **standard of quality**, as defined in the Act and rules made there under with respect to the above test as per IHS/ IP/BP/USP.

Date: 13/10/2025

Vipin
Analyst

Lokesh
Quality Control In-Charge

